
Software Modeling & Analysis

OSP Stage 2040 Design


Lecturer: JUNBEOM YOO jbyoo@konkuk.ac.kr




Stage 2000. Build



6 Phases of 'Build' Stage




Phase 2040. Design




Phase 2040. Design

Phase 2040 Activities

- a. In parallel with interaction diagrams
- b. Varied order



Activity 2041. Design Real Use Cases



Description


- It describes real/actual design of the use case in terms of <u>concrete</u> input and output technology and its overall implementation.
- If a graphical user interface is involved, the real use case will include diagrams of the GUI and discussion of the low-level interactions with interface widgets.

Input

- Essential Use Case Descriptions
- Output
 - Real Use Case Descriptions

Activity 2041. Design Real Use Cases

- Steps
 - 1. Select each use case from essential use cases
 - 2. Add user interface widgets into the expanded format, and concrete implementation details into the typical courses of events



Activity 2041. Design Real Use Cases

Use Case	Buy Items – Version 1 (Cash only)	
Actor	Customer, Cashier	
Purpose	Capture a sale and its cash payment	
Overview	A Customer arrives at a checkout with items to purchase. The Cashier records the items and collects cash payment, which may be authorized. On completion, the Customer leaves with the items.	
Туре	Primary and Real	
Cross Reference	Functions: R1.1, R1.2, R1.3, R1.7, R1.9, R2.1 Use Cases: Log In use case	
Pre-Requisites	N/A	
UI Widgets	Window-1	
Typical Courses of Events	 (A): Actor, (S): System (A) This use case begins when a customer arrives at the POST to checkout with items to purchase. (A) For each item, the Cashier types an UPC in A of Window-1. If there is more than one of an item, the quantity may optionally be entered in E. They press B after each item entry. (E1) (S) Adds the item information to the running sales transaction. The description and price of the current item are displayed in B and F of Window1. (A) The Cashier tells the customer the total. 	
Alternative Courses of Events		
Exceptional Courses of Events	E1: If an invalid UPC is entered, indicate an error.	

Activity 2042. Define Reports, UI, and Storyboards




- Description
 - Design UI storyboard and UI components.
- Input
 - Requirements Specification
 - Real Use Case Descriptions
- Output
 - UI Storyboard
 - UI Component Design Specification




- Description
 - Refine draft system architecture developed in the plan stage
- Input : Draft System Architecture
- Output : A package diagram, a deployment diagram
- Standards Applied
 - UML's Package Diagram
 - UML's Deployment Diagram


- Steps (1~3: Deployment diagram , 4~7: Package diagram)
 - 1. Define a 3-tier layered system architecture
 - Presentation Layer: Windows, Reports, and so on
 - Application Logic Layer: Tasks and rules that govern the process
 - Storage Layer : Persistent storage mechanism



- 2. Decompose the application logic tier into finer layers
 - Domain object layer
 - Classes representing domain concepts
 - Service layer
 - Service objects for functions such as database interaction, reporting, communications, security, and so on




Assign each tier into different physical computing nodes, and/or different processes



4. Identify packages


- Place elements together
 - that are in the same subject area-closely related by concept or purpose, or that are in a type hierarchy together
 - that participate in the same use cases or
 - that are strongly associated




- Layers of the architecture :
 - vertical tiers

Partitions of the architecture:


horizontal division of relatively parallel subsystems



- 6. Determine package dependencies
 - Dependency relationships indicates coupling between packages.



- 7. Assign visibility between package classes.
 - Access into the Domain packages
 - Some packages, typically the presentation package, have visibility into many of the classes representing domain concepts
 - Access into the Service packages
 - Some packages, typically the Domain and Presentation packages, have visibility into only one or a very few classes in each particular Service package
 - Access into the Presentation packages
 - No other packages have direct visibility to the Presentation layer



Service package.



- Description
 - Collaboration diagrams illustrate object interactions in a graph or network format.
 - To illustrate how objects interactions via messages to fulfill tasks.
- Input: Real Use Case Descriptions
- Output : An interaction diagram
- Standards Applied
 - UML's Sequence Diagram or Collaboration Diagram

- Interaction diagram is a generalization of two more specialized UML diagram types:
 - Collaboration diagram
 - Sequence diagram
- The both can be used to express similar message interactions
- Collaboration Diagram
 - Illustrates object interactions in a graphs or network format
- Sequence Diagram
 - Illustrates interactions in a kind of fence format, in which each new object is added to the right.

Sequence Diagram vs. Collaboration Diagram

Туре	Strengths	Weaknesses
Sequence Diagram	Clearly shows sequence or time ordering of messages	Forced to extend to the right, when adding new objects with consuming horizontal space
Collaboration Diagram	Space economical and flexible to add new objects in two dimensions Better to illustrate complex branching, iteration, and concurrent behavior	Difficult to see sequence of messages

- Steps
 - 1. Draw up actors
 - 2. Deploy objects or classes participating each use case from the real use case descriptions and conceptual class diagram
 - 3. Design a system of interacting objects to fulfill the tasks.
 - Regard the use case description as a starting point

Illustrating Classes and Instances

Sale Class :Sale **Instance Named Instance** s1:Sale


- Illustrating Links and Parameters
 - A link is a connection path between two instances.




Illustrating a Return Value

```
1: tot := total(): Integer :Sale
```

- Message Syntax
 - return := message(parameter : parameterType) : returnType
 - Standard UML message syntax



- Illustrating Iterations
 - Iteration



Iteration Clause

```
Msg1()

1*: [i:=1..10] li := nextLineItem(): SalesLineItem


:POST

:Sale
```


- Illustrating Creation of Instances
 - Creating message with optional initializing parameters"
- Illustrating Conditional Messages



- Illustrating Message Number Sequencing
 - The first message is not numbered
 - The order and nesting of subsequent messages are shown with a legal numbering scheme




Illustrating Mutually Exclusive Conditional Paths



- Illustrating Collections
 - A multi-object, or set of instances, may be shown with a stack icon



- Illustrating Messages to Multi-objects
 - A message to a multi-object icon indicates that it is sent to the collection object itself



- Illustrating Messages to a Class Object
 - Messages may be sent to a class itself not an instance, in order to invoke class methods





- Description
 - Describes more details in conceptual class diagram
 - Add navigability, dependency, data type, operation signature, parameters, return types, and so on.
- Input:
 - Interaction Diagram
 - Conceptual Class Diagram
- Output : A Design Class Diagram
- Standards Applied
 - UML's Class Diagram

Steps

- 1. Identity all classes
- 2. Draw them in a class diagram
- 3. Add attributes
- 4. Add method names
- 5. Add type information to the attributes and methods
- 6. Add the associations
- 7. Add navigability arrows
- 8. Add dependency

- Step 1. Identify all classes
 - by scanning all interaction diagrams
 - listing classes mentioned

POST

Sale

ProductCatalog

ProductSpecification

Store

SalesLineItem

Payment


- Step 2. Draw a class diagram
 - includes classes found in Step 1

ProductCatalog ProductSpecification


Store Sale SalesLineItem

Payment

- Step 3. Add attributes
 - Include the attributes previously identified in the conceptual class diagram that are also used in the design



- Step 4. Add method names
 - Identify method of each class by scanning the interaction diagrams
 - The messages sent to a class in interaction diagrams must be defined in the class
 - Don't add
 - creation methods and constructors
 - accessing methods
 - messages to a multiobject



POST

endSale() enterItem() makePayment() ProductCatalog

quantity

Specification()

ProductSpecification

description price

UPC

Store

address name

addSale()

Sale

date isComplete time

becomeComplete()
makeLineItem()
makePayment()
total()

SalesLineItem

quantity


subtotal()

Payment

amount

- Step 5. Add type information
 - Show types of attributes, method parameters, and method return values optionally.
 - Determine whether to show type information or not
 - When using a CASE tool with automatic code generation, exhaustive details are necessary
 - If it is being created for software developers to read, exhaustive detail may adversely effect the noise-to-value ratio

POST endSale() enerItem(upc: integer, qty: integer) makePayment(cash Tendered: Quantity)




ProductSpecification

description: Text
price: Quantity
upc: UPC

Store

address : Address name : Text

addSale(s:Sale)



SalesLineItem

quantity: integer


subtotal(): Quantity

Payment


amount : Quantity

void : no return type


- Step 6. Add associations
 - Choose associations by software-oriented need-to-know criterion from the interaction diagrams
- Step 7. Add navigability arrows
 - According to the interaction diagram
 - Common situations to define navigability
 - A sends a message to B
 - A creates an instance B
 - A needs to maintain a connection to B



- Step 8. Add dependency relationship
 - when there is non-attribute visibility between classes
 - Non-attribute visibility : parameter, global, or locally declared visibility



Activity 2046. Define Database Schema



- Description
 - Design database, table, and records
 - Map classes into tables
- Input : Design Class Diagram
- Output: A Database Schema
- Steps:
 - 1. Map classes into tables
 - 2. Map relationships between classes into relations between tables
 - 3. Map attributes into fields of tables
 - 4. Design Schema