

Priority Category Partitioning Testing Tool

OOPT Team 4
2nd
Cycle

201311265 김상원
201311269 김제현
201311297 이상명
201210194 김정환



Team4

Presentation Index

1. TEAM 2

PMD Warnings

Metrics Report

FindBugs

2. TEAM 3

PMD Warnings

Metrics Report

FindBugs



Team 2

PMD Warnings



Client

AdminProject.java

▶ 49	Thu Jun 01 10:04:0...	AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException, RuntimeException, Exception i...
▶ 26	Thu Jun 01 10:04:0...	SimplifyBooleanReturns	Avoid unnecessary if..then..else statements when returning booleans
▶ 37	Thu Jun 01 10:04:0...	SimplifyBooleanReturns	Avoid unnecessary if..then..else statements when returning booleans
▶ 11	Thu Jun 01 10:04:0...	SingularField	Perhaps 'projectList' could be replaced by a local variable.
▶ 11	Thu Jun 01 10:04:0...	UnusedPrivateField	Avoid unused private fields such as 'projectList'.

AdminUser.java

▶ 52	Thu Jun 01 10:04:0...	SimplifyBooleanReturns	Avoid unnecessary if..then..else statements when returning booleans
▶ 22	Thu Jun 01 10:04:0...	SimplifyBooleanReturns	Avoid unnecessary if..then..else statements when returning booleans
▶ 6	Thu Jun 01 10:04:0...	SuspiciousConstantFieldName	The field name indicates a constant but its modifiers do not
▶ 5	Thu Jun 01 10:04:0...	SuspiciousConstantFieldName	The field name indicates a constant but its modifiers do not
▶ 6	Thu Jun 01 10:04:0...	UnusedPrivateField	Avoid unused private fields such as 'PW'.

AdminVer.java

▶ 438	Thu Jun 01 10:04:0...	AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException, RuntimeException, Exception i...
▶ 424	Thu Jun 01 10:04:0...	AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException, RuntimeException, Exception i...
▶ 41	Thu Jun 01 10:04:0...	ConfusingTernary	Avoid if (x != y) ..; else ..;



Server

AdminProject.java

	17	Thu Jun 01 09:52:2...	UnusedPrivateField	Avoid unused private fields such as 'projectName'.
--	----	-----------------------	--------------------	--

AdminUser.java

	67	Thu Jun 01 09:52:2...	SimplifyBooleanReturns	Avoid unnecessary if..then..else statements when returning booleans
	79	Thu Jun 01 09:52:2...	SimplifyBooleanReturns	Avoid unnecessary if..then..else statements when returning booleans
	5	Thu Jun 01 09:52:2...	UnusedImports	Avoid unused imports such as 'java.util.regex.Pattern'
	4	Thu Jun 01 09:52:2...	UnusedImports	Avoid unused imports such as 'java.util.regex.Matcher'

MainServer.java

	43	Thu Jun 01 09:52:2...	AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException, RuntimeException, Exception i...
	95	Thu Jun 01 09:52:2...	AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException, RuntimeException, Exception i...
	128	Thu Jun 01 09:52:2...	AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException, RuntimeException, Exception i...

ServerThread.java

	18	Thu Jun 01 09:52:2...	UnusedPrivateField	Avoid unused private fields such as 'projectName'.
	17	Thu Jun 01 09:52:2...	UnusedPrivateField	Avoid unused private fields such as 'status'.



Team 2

Metrics Report



Client

Cyclomatic complexity

Metric	Total	Mean	Std. Dev.	Maximum	Resource causing Maximum	Method
McCabe Cyclomatic Complexity (avg/max per method)	1.806	2.268		24	/FinalClient/src/controller/AdminVer.java	makeTmpFile
src	1.806	2.268		24	/FinalClient/src/controller/AdminVer.java	makeTmpFile
controller	2.462	3.592		24	/FinalClient/src/controller/AdminVer.java	makeTmpFile
AdminVer.java	4.529	5.679		24	/FinalClient/src/controller/AdminVer.java	makeTmpFile
AdminVer	4.529	5.679		24	/FinalClient/src/controller/AdminVer.java	makeTmpFile
makeTmpFile	24					
analyzeFile	11					
makeCase	8					
countSingleError	8					
makeTmpFile	6					
addVer	2					
uploadVer	2					
delVer	2					
delOpinion	2					
downloadFile	2					
rcvVerList	2					
rcvOpinionList	2					
isContain	2					
AdminVer	1					
addOpinion	1					
getTempVer	1					
setTempVer	1					
> Client.java	2.143	0.639		3	/FinalClient/src/controller/Client.java	rcvObjFromServer
> AdminUser.java	1.667	0.745		3	/FinalClient/src/controller/AdminUser.java	chgPW
> MainController.java	1.167	0.373		2	/FinalClient/src/controller/MainController.java	init
> AdminProject.java	1.75	0.433		2	/FinalClient/src/controller/AdminProject.java	addProject
> AdminCase.java	1	0		1	/FinalClient/src/controller/AdminCase.java	AdminCase
> Main.java	1	0		1	/FinalClient/src/controller/Main.java	main
> view	2.227	1.677		6	/FinalClient/src/view/MainUI.java	ProjectAddPanel

Client

Team 2

Metrics Report

Number of Parameters

Number of Parameters (avg/max per method)	0.671	0.893	6	/FinalClient/src/controller/AdminVer.java	makeTmpFile
src	0.671	0.893	6	/FinalClient/src/controller/AdminVer.java	makeTmpFile
controller	1	1.109	6	/FinalClient/src/controller/AdminVer.java	makeTmpFile
> AdminVer.java	1.824	1.294	6	/FinalClient/src/controller/AdminVer.java	makeTmpFile
> AdminUser.java	1.333	1.106	3	/FinalClient/src/controller/AdminUser.java	chgPW
> Client.java	0.571	0.495	1	/FinalClient/src/controller/Client.java	Client
> AdminCase.java	0.455	0.498	1	/FinalClient/src/controller/AdminCase.java	setChoiceList
> AdminProject.java	0.75	0.433	1	/FinalClient/src/controller/AdminProject.java	AdminProject
> Main.java	1	0	1	/FinalClient/src/controller/Main.java	main
> MainController.java	0	0	0	/FinalClient/src/controller/MainController.java	MainController
> view	0.705	0.967	4	/FinalClient/src/view/MainUI.java	Version
> model	0.419	0.52	2	/FinalClient/src/model/Version.java	Version
> Nested Block Depth (avg/max per method)	1.518	1.053	7	/FinalClient/src/controller/AdminVer.java	makeTmpFile


Client

Nested Block Depth

Nested Block Depth (avg/max per method)		1.518	1.053	7	/FinalClient/src/controller/AdminVer.java	makeTmpFile
src		1.518	1.053	7	/FinalClient/src/controller/AdminVer.java	makeTmpFile
controller		1.865	1.286	7	/FinalClient/src/controller/AdminVer.java	makeTmpFile
AdminVer.java		2.706	1.774	7	/FinalClient/src/controller/AdminVer.java	makeTmpFile
Client.java		2.143	0.639	3	/FinalClient/src/controller/Client.java	sendFile1
AdminUser.java		1.667	0.745	3	/FinalClient/src/controller/AdminUser.java	chgPW
MainController.java		1.167	0.373	2	/FinalClient/src/controller/MainController.java	init
AdminProject.java		1.75	0.433	2	/FinalClient/src/controller/AdminProject.java	addProject
AdminCase.java		1	0	1	/FinalClient/src/controller/AdminCase.java	AdminCase
Main.java		1	0	1	/FinalClient/src/controller/Main.java	main
view		1.886	1.265	6	/FinalClient/src/view/MainUI.java	FileAddPanel
MainUI.java		1.886	1.265	6	/FinalClient/src/view/MainUI.java	FileAddPanel
FileAddPanel		3	2.16	6	/FinalClient/src/view/MainUI.java	FileAddPanel
ProjectAddPanel		3	2	5	/FinalClient/src/view/MainUI.java	ProjectAddPanel
Version		1.667	1.491	5	/FinalClient/src/view/MainUI.java	Version
LoginPanel		2.5	1.5	4	/FinalClient/src/view/MainUI.java	LoginPanel
ProjectListPanel		2	1	3	/FinalClient/src/view/MainUI.java	ProjectListPanel
PwdChgPanel		3	0	3	/FinalClient/src/view/MainUI.java	PwdChgPanel
Project		1.667	0.943	3	/FinalClient/src/view/MainUI.java	Project
VerListPanel		1.667	0.943	3	/FinalClient/src/view/MainUI.java	VerListPanel
VerAddPanel		1.667	0.943	3	/FinalClient/src/view/MainUI.java	VerAddPanel
Opinion		1.667	0.943	3	/FinalClient/src/view/MainUI.java	Opinion
OpinionListPanel		2	1	3	/FinalClient/src/view/MainUI.java	OpinionListPanel
MainUI		1.714	0.7	3	/FinalClient/src/view/MainUI.java	setOList
NoticeContent		1.333	0.471	2	/FinalClient/src/view/MainUI.java	NoticeContent
NoticePanel		1.5	0.5	2	/FinalClient/src/view/MainUI.java	NoticePanel
ContentPanel		1.5	0.5	2	/FinalClient/src/view/MainUI.java	ContentPanel
model		1.054	0.226	2	/FinalClient/src/model/Category.java	addChoice

Client

Dependency Graph View



Team 2

Metrics Report

Server

Team 2

Metrics Report


Cyclomatic complexity

Metric	Total	Mean	Std. Dev.	Maximum	Resource causing Maximum	Method
McCabe Cyclomatic Complexity (avg/max per method)	1.736	2.582		25	/FinalServer/src/controller/ServerThread.java	analyzeMSG
src	1.736	2.582		25	/FinalServer/src/controller/ServerThread.java	analyzeMSG
controller	2.705	3.853		25	/FinalServer/src/controller/ServerThread.java	analyzeMSG
ServerThread.java	10	10.677		25	/FinalServer/src/controller/ServerThread.java	analyzeMSG
ServerThread	10	10.677		25	/FinalServer/src/controller/ServerThread.java	analyzeMSG
analyzeMSG	25					
run	1					
ServerThread	1					
> AdminVer.java	3.111	2.726		10	/FinalServer/src/controller/AdminVer.java	chkAuth
> MainServer.java	3.167	2.115		6	/FinalServer/src/controller/MainServer.java	SaveObject
> AdminUser.java	1.778	1.227		5	/FinalServer/src/controller/AdminUser.java	chkPW
> Server.java	2.125	0.781		3	/FinalServer/src/controller/Server.java	Server
> AdminProject.java	1	0		1	/FinalServer/src/controller/AdminProject.java	AdminProject
> model	1.091	0.417		3	/FinalServer/src/model/Category.java	addChoice
> Number of Parameters (avg/max per method)	0.655	0.878		5	/FinalServer/src/controller/AdminVer.java	chkAuth
> Nested Block Depth (avg/max per method)	1.373	0.796		5	/FinalServer/src/controller/AdminVer.java	chkAuth
> Afferent Coupling (avg/max per packageFragment)	1.5	1.5		3	/FinalServer/src/model	
> Efferent Coupling (avg/max per packageFragment)	1.5	1.5		3	/FinalServer/src/controller	
> Instability (avg/max per packageFragment)	0.5	0.5		1	/FinalServer/src/controller	
> Abstractness (avg/max per packageFragment)	0	0		0	/FinalServer/src/controller	
> Normalized Distance (avg/max per packageFragment)	0.5	0.5		1	/FinalServer/src/model	
> Depth of Inheritance Tree (avg/max per type)	1.091	0.287		2	/FinalServer/src/controller/ServerThread.java	
> Weighted methods per Class (avg/max per type)	191	17.364	8.315	30	/FinalServer/src/controller/ServerThread.java	
> Number of Children (avg/max per type)	0	0	0	0	/FinalServer/src/controller/AdminProject.java	
> Number of Overridden Methods (avg/max per type)	1	0.091	0.287	1	/FinalServer/src/controller/ServerThread.java	
> Lack of Cohesion of Methods (avg/max per type)	0.596	0.261		0.894	/FinalServer/src/model/Version.java	
> Number of Attributes (avg/max per type)	54	4.909	2.678	11	/FinalServer/src/model/Choice.java	
> Number of Static Attributes (avg/max per type)	0	0	0	0	/FinalServer/src/controller/AdminProject.java	
> Number of Methods (avg/max per type)	108	9.818	6.422	24	/FinalServer/src/model/Version.java	



Server

Dependency Graph View





Team 2

FindBugs



FinalClient

- ▼ FinalClient (12)
 - ▼ Troubling (8)
 - ▼ High confidence (6)
 - ▼ Non-transient non-serializable instance field in serializable class (6)
 - Class controller.Client defines non-transient non-serializable instance field br [Troubling(14), High confidence]
 - Class controller.Client defines non-transient non-serializable instance field ois [Troubling(14), High confidence]
 - Class controller.Client defines non-transient non-serializable instance field oos [Troubling(14), High confidence]
 - Class controller.Client defines non-transient non-serializable instance field pw [Troubling(14), High confidence]
 - Class controller.Client defines non-transient non-serializable instance field sock [Troubling(14), High confidence]
 - Class model.Version defines non-transient non-serializable instance field ctgList [Troubling(14), High confidence]
 - ▼ Normal confidence (2)
 - ▼ Unwritten field (2)
 - Unwritten field: view.MainUI\$OpinionListPanel.verNum [Troubling(12), Normal confidence]
 - Unwritten field: view.MainUI\$Version.date [Troubling(12), Normal confidence]
 - ▼ Of Concern (4)
 - ▼ High confidence (4)
 - ▼ Dead store to local variable (1)
 - Dead store to ui in controller.Main.main(String[]) [Of Concern(15), High confidence]
 - ▼ Write to static field from instance method (3)
 - Write to static field view.MainUI.c from instance method new view.MainUI() [Of Concern(15), High confidence]
 - Write to static field view.MainUI.cards from instance method new view.MainUI() [Of Concern(15), High confidence]
 - Write to static field view.MainUI.mc from instance method new view.MainUI() [Of Concern(15), High confidence]



FinalServer

- ▼ FinalServer (5)
 - ▼ Scariest (1)
 - ▼ Normal confidence (1)
 - ▼ Self comparison of field with itself (1)
 - Self comparison of AdminVer.tmpVer with itself in controller.AdminVer.delOpinion() [Scariest(3), Normal confidence]
 - ▼ Scary (1)
 - ▼ High confidence (1)
 - ▼ An apparent infinite loop (1)
 - There is an apparent infinite loop in new controller.MainServer() [Scary(8), High confidence]
 - ▼ Troubling (3)
 - ▼ Normal confidence (3)
 - ▼ Dead store to local variable that shadows field (1)
 - Dead store to tmpVer rather than field with same name in controller.AdminVer.delOpinion() [Troubling(11), Normal confidence]
 - ▼ Value is null and guaranteed to be dereferenced on exception path (1)
 - obj is null guaranteed to be dereferenced in controller.ServerThread.analyzeMSG(String) on exception path [Troubling(11), Normal confidence]
 - ▼ Constructor invokes Thread.start() (1)
 - new controller.MainServer() invokes controller.ServerThread.start() [Troubling(14), Normal confidence]



Team 3

PMD Warnings



Team 3

PMD Warnings

Control.GUIManager.newProjectView3

The screenshot shows an IDE interface with two main panes. On the left is the code editor for `GUIManager.java`, displaying a method `newProjectView3`. A blue rectangular selection highlights the line `e.printStackTrace();`. On the right is the `Violations Outline` tool window, which lists various PMD rules and their error messages.

Rule	Error Message
DoNotUseThreads	To be compliant to J2EE, a webapp should not use a
AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPoint
BeanMembersShouldSerialize	Found non-transient, non-static member. Please mar
AvoidPrintStackTrace	Avoid printStackTrace(); use a logger call instead.
AvoidPrintStackTrace	Avoid printStackTrace(); use a logger call instead.
ExcessivePublicCount	This class has a bunch of public methods and attribu
AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPoint
LooseCoupling	Avoid using implementation types like 'ArrayList'; us

Control.GUIManager.newProjectView4

The screenshot shows an IDE interface with two main panes. On the left is the code editor for `GUIManager.java`, displaying a method `addVersionView4`. A blue rectangular selection highlights the line `e.printStackTrace();`. On the right is the `Violations Outline` tool window, which lists various PMD rules and their error messages.

created	Rule	Error Message
Thu Jun 01 10:22:3...	DoNotUseThreads	To be compliant to J2EE, a w
Thu Jun 01 10:22:3...	AvoidCatchingGenericException	Avoid catching generic exce
Thu Jun 01 10:22:3...	BeanMembersShouldSerialize	Found non-transient, non-sta
Thu Jun 01 10:22:3...	AvoidPrintStackTrace	Avoid printStackTrace(); use a
Thu Jun 01 10:22:3...	AvoidPrintStackTrace	Avoid printStackTrace(); use a
Thu Jun 01 10:22:3...	ExcessivePublicCount	This class has a bunch of put
Thu Jun 01 10:22:3...	AvoidCatchingGenericException	Avoid catching generic exce
Thu Jun 01 10:22:3...	LooseCoupling	Avoid using implementation
Thu Jun 01 10:22:3...	BeanMembersShouldSerialize	Found non-transient, non-sta
Thu Jun 01 10:22:3...	BeanMembersShouldSerialize	Found non-transient, non-sta



Control.GUIManager.saveFileChooser

The screenshot shows an IDE interface with two panes. On the left is the code editor for `GUIManager.java`, which contains Java code related to file Choosers. On the right is the `PMD Violations Outline` window, which lists various PMD rules and their corresponding error messages.

Rule	Error Message
:3... LocalVariableCouldBeFinal	Local variable 'frame' could be declared final
:3... LooseCoupling	Avoid using implementation types like 'ArrayList'
:3... AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException
:3... UnusedLocalVariable	Avoid unused local variables such as 'fc'.
:3... BeanMembersShouldSerialize	Found non-transient, non-static member. Please ensure it is transient or static.
:3... MethodArgumentCouldBeFinal	Parameter 'cName' is not assigned and could be final.
:3... UncommentedEmptyConstruct...	Document empty constructor
:3... AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException
:3... MethodArgumentCouldBeFinal	Parameter 'cNum' is not assigned and could be final.
:3... BeanMembersShouldSerialize	Found non-transient, non-static member. Please ensure it is transient or static.

Control.GUIManager

The screenshot shows an IDE interface with two panes. On the left is the code editor for `GUIManager.java`, which defines a class with various public methods. On the right is the `PMD Violations Outline` window, which lists various PMD rules and their corresponding error messages.

Rule	Error Message
... DoNotUseThreads	To be compliant to J2EE, a webapp should not use threads.
... AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException.
... BeanMembersShouldSerialize	Found non-transient, non-static member. Please ensure it is transient or static.
... AvoidPrintStackTrace	Avoid printStackTrace(); use a logger call instead.
... AvoidPrintStackTrace	Avoid printStackTrace(); use a logger call instead.
... ExcessivePublicCount	This class has a bunch of public methods and attributes.
... AvoidCatchingGenericException	Avoid catching generic exceptions such as NullPointerException.
... LooseCoupling	Avoid using implementation types like 'ArrayList'.
... BeanMembersShouldSerialize	Found non-transient, non-static member. Please ensure it is transient or static.



Control.GUIManager.GUIManager

```
46 //      loginView();  
47 //  
48 //  
49 // }  
50  
51 public GUIManager() {  
52  
53 }  
54  
55 public void loginView() {
```

10:42:3...	AvoidCatchingGenericException	Avoid catching generic exceptions such a
10:42:3...	AvoidCatchingGenericException	Avoid catching generic exceptions such a
10:42:3...	MethodArgumentCouldBeFinal	Parameter 'rvName' is not assigned and c
10:42:3...	PackageCase	Package name contains upper case chara
10:42:3...	UnnecessaryConstructor	Avoid unnecessary constructors - the con
10:42:3...	AvoidCatchingGenericException	Avoid catching generic exceptions such a
10:42:3...	MethodArgumentCouldBeFinal	Parameter 'cNum' is not assigned and co
10:42:3...	LooseCoupling	Avoid using implementation types like 'Ai
10:42:3...	AvoidCatchingGenericException	Avoid catching generic exceptions such a

Control.ReceiveThreadInNetworkManager.run

```
y {  
    while(true){  
        if(clientId == 0){  
            DataInputStream in = new DataInputStream(this.rtSoc  
            String feedback = in.readUTF();  
            // 確認◆モニタ◆監◆誤◆泥◆  
            MainSystem.reqSetFeedback(feedback);  
        }  
  
        if(clientId == 1){//監視以  
            ObjectInputStream in = new ObjectInputStream(this.  
            Object project = in.readObject();
```

AvoidLiteralsInIfCondition	Avoid using Literals in Conditional Statements
LocalVariableCouldBeFinal	Local variable 'in' could be declared final
AvoidInstantiatingObjectsInLoop	Avoid instantiating new objects inside loops
LocalVariableCouldBeFinal	Local variable 'project' could be declared final
LocalVariableCouldBeFinal	Local variable 'check' could be declared final
CallSuperInConstructor	It is a good practice to call super() in a construc
LocalVariableCouldBeFinal	Local variable 'feedback' could be declared final
ImmutableField	Private field 'rtSocket' could be made final; it is
AvoidUsingHardCodedIP	Do not hard code the IP address
MethodArgumentCouldBeFinal	Parameter 'feedback' is not assigned and could i



Control.NetworkManager.reqLogin

```
ic boolean reqLogin(int id){  
try {  
    this.socket = new Socket("127.0.0.1",7777);  
  
    DataOutputStream out = new DataOutputStream(this.socket.getOutputStream());  
    DataInputStream in = new DataInputStream(this.socket.getInputStream());  
  
    out.writeInt(id);  
}
```

:3...	LocalVariableCouldBeFinal	Local variable 'feedback' could be declared final
:3...	ImmutableField	Private field 'rtSocket' could be made final
:3...	AvoidUsingHardCodedIP	Do not hard code the IP address
:3...	MethodArgumentCouldBeFinal	Parameter 'feedback' is not assigned and could be declared final
:3...	UnusedPrivateField	Avoid unused private fields such as 'name'
:3...	MethodArgumentCouldBeFinal	Parameter 'socket' is not assigned and could be declared final
:3...	MethodArgumentCouldBeFinal	Parameter 'id' is not assigned and could be declared final
:3...	RedundantFieldInitializer	Avoid using redundant field initializer for 'clientId'
:3...	UnusedPrivateField	Avoid unused private fields such as 'rtms'

Control.ReceiveThreadInNetworkManager

```
private Socket rtSocket;  
private int clientId = 0;  
private MainSystem rtms;  
  
public ReceiveThreadInNetworkManager(Socket socket)  
{  
    this.rtSocket = socket;  
    this.clientId = id;  
}
```

:3...	MethodArgumentCouldBeFinal	Parameter 'socket' is not assigned and could be declared final
:3...	MethodArgumentCouldBeFinal	Parameter 'id' is not assigned and could be declared final
:3...	RedundantFieldInitializer	Avoid using redundant field initializer for 'clientId'
:3...	UnusedPrivateField	Avoid unused private fields such as 'rtms'.
:3...	LocalVariableCouldBeFinal	Local variable 'out' could be declared final
:3...	ImmutableField	Private field 'name' could be made final; it is only used in this class
:3...	LocalVariableCouldBeFinal	Local variable 'out' could be declared final
:3...	BeanMembersShouldSerialize	Found non-transient, non-static member. Please mark it transient or static



```
private boolean reqLogin(int id) {
    try {
        this.socket = new Socket("127.0.0.1", 7777);

        DataOutputStream out = new DataOutputStream(this.socket.getOutputStream());
        DataInputStream in = new DataInputStream(this.socket.getInputStream());

        out.writeInt(id);

        int check = in.readInt();

        if(check == 0) {
            System.out.println("请求失败，用户名或密码错误。");
            return false;
        }

        System.out.println("请求成功，欢迎使用系统。");
        new ReceiveThreadInNetworkManager(this.socket, id).start();
        return true;
    } catch (UnknownHostException e) {
        e.printStackTrace();
    } catch (IOException e) {
        e.printStackTrace();
    }
    return false;
}
```

..	AvoidLiteralsInIfCondition	Avoid using Literals in Conditional Statements
..	LocalVariableCouldBeFinal	Local variable 'in' could be declared final
..	AvoidInstantiatingObjectsInLoop	Avoid instantiating new objects inside loops
..	LocalVariableCouldBeFinal	Local variable 'project' could be declared final
..	LocalVariableCouldBeFinal	Local variable 'check' could be declared final
..	CallSuperInConstructor	It is a good practice to call super() in a constructor
..	LocalVariableCouldBeFinal	Local variable 'feedback' could be declared final
..	ImmutableField	Private field 'rtSocket' could be made final; it is only initialized in one place
..	AvoidUsingHardCodedIP	Do not hard code the IP address
..	MethodArgumentCouldBeFinal	Parameter 'feedback' is not assigned and could be declared final
..	UnusedPrivateField	Avoid unused private fields such as 'name'.
..	MethodArgumentCouldBeFinal	Parameter 'socket' is not assigned and could be declared final
..	MethodArgumentCouldBeFinal	Parameter 'id' is not assigned and could be declared final
..	RedundantFieldInitializer	Avoid using redundant field initializer for 'clientId'
..	UnusedPrivateField	Avoid unused private fields such as 'rtms'.
..	LocalVariableCouldBeFinal	Local variable 'out' could be declared final
..	ImmutableField	Private field 'name' could be made final; it is only initialized in one place
..	LocalVariableCouldBeFinal	Local variable 'out' could be declared final
..	BeanMembersShouldSerialize	Found non-transient, non-static member. Please mark as transient
..	LocalVariableCouldBeFinal	Local variable 'in' could be declared final
..	OnlyOneReturn	A method should have only one exit point, and that should be the last statement
..	MethodArgumentCouldBeFinal	Parameter 'id' is not assigned and could be declared final
..	AvoidInstantiatingObjectsInLoop	Avoid instantiating new objects inside loops
..	AtLeastOneConstructor	Each class should declare at least one constructor
..	LocalVariableCouldBeFinal	Local variable 'out' could be declared final



Control.ResultManager.calculateTestCaseNum

```
for(int i = 0; i < tmp.getCategoryNum(); i++) {
    for(int j = 0; j < tmp.getCategoryList().get(i).getRPValueNum(); j++)
        for(int k = 0; k < tmp.getCategoryList().get(i).getRPValueList().g
            if(tmp.getCategoryList().get(i).getRPValueList().get(j).getCon
                //자율시 index 범정으로 arrayindexoutofbound 예상됨.
                tmp.getCategoryList().get(i).setRPValueNum(tmp.getCategory
                tmp.getCategoryList().get(i).getRPValueList().get(j).setCo
                tmp.getCategoryList().get(i).getRPValueList().remove(j);
                j--;
                break;
            }
        else if(tmp.getCategoryList().get(i).getRPValueList().get(j).g
            tmp.getCategoryList().get(i).setRPValueNum(tmp.getCategory
            tmp.getCategoryList().get(i).getRPValueList().get(j).setCo
            tmp.getCategoryList().get(i).getRPValueList().remove(j);
            j--;
            break;
}
```

LawOfDemeter	Potential violation of Law of Demeter (method chain calls)
CollapsibleIfStatements	These nested if statements could be combined
MethodArgumentCouldBeFinal	Parameter 'conditionCheck' is not assigned and could be declared final
LawOfDemeter	Potential violation of Law of Demeter (method chain calls)
LawOfDemeter	Potential violation of Law of Demeter (object not created locally)
NPathComplexity	The method calculateTestCaseNum() has an NPath complexity of 10.
LawOfDemeter	Potential violation of Law of Demeter (method chain calls)
LawOfDemeter	Potential violation of Law of Demeter (method chain calls)
ModifiedCyclomaticComplexity	The method 'calculateTestCaseNum' has a Modified Cyclomatic Complexity of 10.
LawOfDemeter	Potential violation of Law of Demeter (object not created locally)
LawOfDemeter	Potential violation of Law of Demeter (method chain calls)
LawOfDemeter	Potential violation of Law of Demeter (object not created locally)
PositionLiteralsFirstInComparisons	Position literals first in String comparisons
LawOfDemeter	Potential violation of Law of Demeter (method chain calls)
LawOfDemeter	Potential violation of Law of Demeter (object not created locally)



Team 3

Metrics Report



Cyclomatic complexity

Metric	Total	Mean	Std. Dev.	Maximum	Resource causing Maximum	Method
McCabe Cyclomatic Complexity (avg/max per method)	2.152	3.83		42	/SMA/src/Control/ResultManager.java	calculateTestCaseNum
src	2.152	3.83		42	/SMA/src/Control/ResultManager.java	calculateTestCaseNum
Control	2.387	5.936		42	/SMA/src/Control/ResultManager.java	calculateTestCaseNum
ResultManager.java	26	11.431		42	/SMA/src/Control/ResultManager.java	calculateTestCaseNum
> ResultManager	26	11.431		42	/SMA/src/Control/ResultManager.java	calculateTestCaseNum
> NetworkManager.java	3	1.789		6	/SMA/src/Control/NetworkManager.java	run
> MainSystem.java	1.056	0.229		2	/SMA/src/Control/MainSystem.java	reqReceivedProject
> GUIManager.java	1	0		1	/SMA/src/Control/GUIManager.java	GUIManager
> ProjectManager.java	1	0		1	/SMA/src/Control/ProjectManager.java	ProjectManager
GUI	2.704	2.258		11	/SMA/src/GUI/FileChooser.java	FileChooser
FileChooser.java	11	0		11	/SMA/src/GUI/FileChooser.java	FileChooser
> FileChooser	11	0		11	/SMA/src/GUI/FileChooser.java	FileChooser
> LeaderMainView.java	1.857	2.1		7	/SMA/src/GUI/LeaderMainView.java	actionPerformed
> AddVersionView3.java	4.667	2.055		7	/SMA/src/GUI/AddVersionView3.java	AddVersionView3
> NewProjectView3.java	5	2.16		7	/SMA/src/GUI/NewProjectView3.java	NewProjectView3
> NewProjectView2.java	5.5	0.5		6	/SMA/src/GUI/NewProjectView2.java	NewProjectView2
> AddVersionView2.java	5.5	0.5		6	/SMA/src/GUI/AddVersionView2.java	AddVersionView2
> NewProjectView4.java	3.667	1.247		5	/SMA/src/GUI/NewProjectView4.java	NewProjectView4
> AddVersionView4.java	3.667	1.247		5	/SMA/src/GUI/AddVersionView4.java	AddVersionView4
> MemberVersionDisplay.java	4	1		5	/SMA/src/GUI/MemberVersionDisplay.java	MemberVersionDisplay
> LoginView.java	2.5	1.5		4	/SMA/src/GUI/LoginView.java	actionPerformed
> VersionDisplay.java	2.333	1.247		4	/SMA/src/GUI/VersionDisplay.java	VersionDisplay
> VersionPanel.java	1.2	0.6		3	/SMA/src/GUI/VersionPanel.java	actionPerformed
> LeaderFeedbackView.java	1.5	0.5		2	/SMA/src/GUI/LeaderFeedbackView.java	LeaderFeedbackView
> NewProjectView1.java	1.5	0.5		2	/SMA/src/GUI/NewProjectView1.java	actionPerformed
> AddVersionView1.java	1.5	0.5		2	/SMA/src/GUI/AddVersionView1.java	actionPerformed
> FinalView.java	1.5	0.5		2	/SMA/src/GUI/FinalView.java	FinalView
> MemberMainView.java	1	0		1	/SMA/src/GUI/MemberMainView.java	MemberMainView
> MemberVersionPanel.java	1	0		1	/SMA/src/GUI/MemberVersionPanel.java	MemberVersionPanel



Number of Parameters

Number of Parameters (avg/max per method)	0.865	0.87	8	/SMA/src/Control/ResultManager.java	recurse
src	0.865	0.87	8	/SMA/src/Control/ResultManager.java	recurse
Control	0.919	1.182	8	/SMA/src/Control/ResultManager.java	recurse
ResultManager.java	3.333	3.3	8	/SMA/src/Control/ResultManager.java	recurse
ResultManager	3.333	3.3	8	/SMA/src/Control/ResultManager.java	recurse
GUIManager.java	0.708	0.841	2	/SMA/src/Control/GUIManager.java	newProjectView3
NetworkManager.java	1	0.632	2	/SMA/src/Control/NetworkManager.java	ReceiveThreadInNetwork...
MainSystem.java	0.833	0.687	2	/SMA/src/Control/MainSystem.java	reqCreateProject
ProjectManager.java	0.833	0.799	2	/SMA/src/Control/ProjectManager.java	reqCreateProject
GUI	1.019	0.561	2	/SMA/src/GUI/LeaderMainView.java	addVersionPanel
Model	0.667	0.638	2	/SMA/src/Model/Version.java	createCategory
Server	0.75	0.829	2	/SMA/src/Server/MainServer.java	sendToLeader



Nested Block Depth

▼ Nested Block Depth (avg/max per method)	1.68	1.148	8	SMA/src/Control/ResultManager.java	recurse
▼ SRC	1.68	1.148	8	SMA/src/Control/ResultManager.java	recurse
▼ Control	1.887	1.438	8	SMA/src/Control/ResultManager.java	recurse
▼ ResultManager.java	6.667	1.247	8	SMA/src/Control/ResultManager.java	recurse
▼ ResultManager	6.667	1.247	8	/SMA/src/Control/ResultManager.java	recurse
recurse	8				
calculateTestCaseNum	7				
combinationTestCase	5				



Team 3

FindBugs



- ▼  > SMA (6) [SMA master]
 - ▼  Of Concern (6)
 - ▼  High confidence (6)
 - ▼  Dead store to local variable (2)
 -  Dead store to fc in Control.GUIManager.openFileChooser() [Of Concern(15), High confidence]
 -  Dead store to fc in Control.GUIManager.saveFileChooser() [Of Concern(15), High confidence]
 - ▼  Write to static field from instance method (4)
 -  Write to static field Control.MainSystem.gm from instance method new Control.MainSystem() [Of Concern(15), High confidence]
 -  Write to static field Control.MainSystem.nm from instance method new Control.MainSystem() [Of Concern(15), High confidence]
 -  Write to static field Control.MainSystem.pm from instance method new Control.MainSystem() [Of Concern(15), High confidence]
 -  Write to static field Control.MainSystem.rm from instance method new Control.MainSystem() [Of Concern(15), High confidence]

Q & A

Thank you!