

201511288 이현우 201811241 김유진 201811249 류수진 201811265 서푸름

		테	마	시	계		
--	--	---	---	---	---	--	--



	목	차												
--	---	---	--	--	--	--	--	--	--	--	--	--	--	--

- Digital Watch Design
- Implement Window
- Junit Test
- Junit Test List
- 시연
- Q & A

D



E

S

I


G

N



A

C



B

D



테
마
색
깔

SPRING

SUMMER

AUTUMN

WINTER

SPRING

SUMMER

AUTUMN

WINTER

I M P L E M E N T

Name	Press A Button
Responsibilities	사용자가 A 버튼을 누른다.
Type	GUI
Cross Reference	R7.6, R7.7, R7.3.1, R6.2, R1.4, R5.1, R8.2, R9.2
Notes	<ul style="list-style-type: none"> -메인화면 <ul style="list-style-type: none"> - 이전 모드 전환 -ModeConfig <ul style="list-style-type: none"> - change -현재시간 <ul style="list-style-type: none"> - 비활성화 -알람 <ul style="list-style-type: none"> - 활성화/비활성화 - 알람 추가 - 1시간 추가 -타이머 <ul style="list-style-type: none"> - 분 추가 - 비활성화 / 실행중 - 비활성화 / pause 중 -스톱워치 <ul style="list-style-type: none"> - 시작 - 비활성화 -세계시간 <ul style="list-style-type: none"> - 이전 시간 - 비활성화 / hold 상태 -테마 <ul style="list-style-type: none"> - 이전 테마
Pre-Conditions	N/A
Post-Conditions	현재 모드에서, A버튼에 매핑 된 기능이 호출된다.

Name	Press D Button
Responsibilities	사용자가 D 버튼을 누른다.
Type	GUI
Cross Reference	R1.6, R1.2
Notes	<ul style="list-style-type: none"> - 메인화면 <ul style="list-style-type: none"> - ModeConfig - 메인화면 제외 모두 <ul style="list-style-type: none"> - BackToMainScreen
Pre-Conditions	N/A
Post-Conditions	현재 모드에서, D버튼에 매핑 된 기능이 호출된다.



JUNIT TEST

```
@Test
public void startTimer() throws InterruptedException {
    for(int i = 0; i < 3; i++) {
        timerMode.increaseTimerSeconds();
    }
    timerMode.startTimer();
    assertTrue(timerMode.is_timer_running);
    assertTrue(timerMode.is_timer_started);
    Thread.sleep(1000);
    assertEquals("expected: 2, timerMode.total_seconds");
}
```

✓ TimerModeTest	1 s 3 ms	"C:\Program Files\JetBrains\IntelliJ IDEA 2019.3.4\jbr\bin\java.exe" -
✓ startTimer	1 s 3 ms	Process finished with exit code 0

JUNIT TEST

```
@Test
public void maxIncreaseMinute() {
    for(int i = 0; i < 59; i++) {
        timerMode.increaseTimerMinute();
    }
    assertEquals( expected: 59, timerMode.setted_time.getMinute());
    timerMode.increaseTimerMinute();
    assertEquals( expected: 0, timerMode.setted_time.getMinute());
}
```

▼ ✓ TimerModeTest	2 ms	"C:\Program Files\JetBrains\IntelliJ IDEA 2019.3.4\jbr\bin\java.exe" -ea
✓ maxIncreaseMinute	2 ms	Process finished with exit code 0

J U N I T L I S T

✓ SystemTest	46 s 47 ms
✓ backToMainTest	40 ms
✓ indexIncreaseTest	1 ms
✓ buzzerMultifurRingTest	46 s 3 ms
✓ modeConfigTest	2 ms
✓ indexDecreaseTest	0 ms
✓ useCurrentModeTest	0 ms
✓ segmentLowerTest	0 ms
✓ initWatchTest	1 ms
✓ segmentUpperTest	0 ms

✓ WorldTimeModeTest	
✓ decreaseWorldTimeIndex	
✓ increaseWorldTimeIndex	
✓ holdCurrentWorldTime	
✓ releaseCurrentWorldTimeRock	
✓ initWorldTimeMode	


▼ ✓ AlarmModeTest	40 ms
✓ increaseOneH	16 ms
✓ checkRingAlar	21 ms
✓ increasefiveMir	0 ms
✓ enableAlarm	1 ms
✓ deleteAlarm	0 ms
✓ disableAlarm	1 ms
✓ increasealarm_	0 ms
✓ decideAlarm	1 ms
✓ alarmInitTime	0 ms
✓ initAlarmMode	0 ms
✓ nextAlarm	0 ms

✓ TimerModeTest	1 s 12 ms
✓ continueTimer	8 ms
✓ startTimer	1 s 1 ms
✓ cancelTimer	3 ms
✓ maxIncreaseMinut	0 ms
✓ increaseTimerMinu	0 ms
✓ pauseTimer	0 ms
✓ maxIncreaseSeco	0 ms
✓ increaseTimerSeco	0 ms
✓ checkZeroNotStar	0 ms


✓ StopwatchMo	2 s 154 ms
✓ resetTimer	130 ms
✓ isResetRun	1 ms
✓ pauseStopWatch	0 ms
✓ maxStopWa	1 s 12 ms
✓ startStopWa	1 s 11 ms
✓ continueStopWa	0 ms



시 연



오전



오지